

Print Name

Construction and Demolition (C&D) Waste Management Log / Report

The California Green Building Standards Code (Title 24, Part 11) requires building projects to divert at least 65% of construction and demolition (C&D) materials. Please use the following log to track your loads of materials as they leave the job-site. Save all receipts and documents from all disposals, recycling, and donation facilities. Upon completion of your project, please send this document and all facility receipts to recycle@eastvaleca.gov.

If you are utilizing Waste Management for C&D hauling services, you may also request a C&D waste diversion

report by contacting (866) 445-8296.				
Permit Number		Name / Phone		
MATERIAL TYPE	TONS RECYCLED	TONS LANDFILLED	DESTINATION FACILITY / DATE	
Mixed Construction				
Brick/Rocks				
Cardboard				
Concrete/Cement				
Dirt/Clean Fill				
Drywall/Sheetrock				
Glass/Windows				
Lumber/Wood				
Metals				
Asphalt				
Roofing / Composite				
Salvaged items				
TOTALS	A	В	** Recycling Percentage Formula = A ÷ C x 100	
TOTALS COMBINED	С	TOTAL PERCENTAGE OF RECYCLED MATERIAL:		
As the owner of, or ag	ent for this pe	rmit application,	I certify that all the information provided is true and correct.	
				
Applicant's Signature			Date	
Print Name			Title (owner, contractor, agent, etc.)	



Calculate C&D Debris Weights

How to convert pounds into tons:

To convert pounds to tons, divide the number of pounds by 2000 (1 ton = 2,000 pounds).

Example: 700 pounds (lbs) \div 2000 pounds/ton = 0.35 tons

How to convert cubic yards into tons:

Select the type of material recycled/reused from the chart on the right

Multiply the corresponding number by the total number of cubic yards recycled/reused.

1 cubic yard of asphalt = 0.69 tons (T)

Example: 5 cubic yards (cy) of asphalt =

5 cy x 0.69 tons per cubic yard = 3.45 tons

Salvaged Materials:

Please estimate the quantity of material recycled/reused. Your estimates should be provided in tons.

Example: 25 pounds \div 2000 pounds per ton = 0.02 tons

Material Type	Tons per Cubic Yard
Asphalt	0.69
Brick	1.51
Cardboard	0.05
Concrete	0.93
Dirt/Clean Fill	1.00
Drywall/Sheetrock	0.20
Lumber	0.17
Plastic	0.17
Roofing Materials	0.21
Metals	0.45
Mixed Materials	0.25
Yard Trimmings/ Green Waste	0.05

How to calculate the percentage of materials recycled and/or reused:

To determine the percentage of material recycled/reused, divide the number of tons which were recycled/reused by the TOTAL tonnage generated by this job.

Example: 1 ton recycled + 1 ton reused =
$$\frac{2}{2}$$
 = 0.5 (multiply 0.5 by 100 = 100%)

1 ton recycled + 1 ton reused + 2 tons disposed (landfilled)



CONSTRUCTION AND DEMOLITION (C&D) RECYCLING PROGRAM

The California Green Building Standards Code (CalGreen) requires building projects to divert at least 65% of construction and demolition (C&D) debris, 100% of inert (rock, dirt, concrete, asphalt), and 100% of landscape debris away from the landfill by either recycling, donating or reusing materials.

To comply with this requirement, the C&D Waste Management Plan and Waste Management Report/Log must be completed and submitted to to recycle@eastvaleca.gov.

Simply follow the steps below to ensure that your project is in compliance with State requirements.



COMPLETE C&D WASTE MANAGEMENT PLAN

Prior to the start of your project, you will need to completed the following Waste Management Plan which identifies project information, expected construction and demolition debris, and hauling methods. Please note, materials may only self-hauled or hauled by Waste Management. To arrange for hauling services through Waste Management, please contact (800) 423-9986.



COLLECT AND SAVE RECYCLING RECEIPTS

Remember to collect and save all recycling receipts and facility documentation after each load of material is removed from the job site. Upon completion of your project, copies of the tickets and documentation will need to be submitted to recycle@eastvaleca.gov for approval.



COMPLETE C&D WASTE MANAGEMENT REPORT/LOG

Wonderful! Your project is complete! In order to complete the waste diversion component of your project, you must fill out and submit the C&D Waste Management Report/Log and all recycling receipts to recycle@eastvaleca.gov.